


# Réunion biblio



# Réunion biblio

Bibcode

=g=  
=s=



Vizier

tables  
ReadMe



prog awk

-> parfile  
%l  
%J



Raccord  
(Simbad)  
-> maj2

**Raccord**

Eichier Raccord

Table :

**Columns** % #Parfile(5.49) on: ../simbad/simref.0(27 Jun 2012 23:18:57)  
**ReadMe** % #Execution date: 28 Jun 2012 12:08:15


```

%R 2010A&A...521A..12M
%A MALDONADO J.
%A MARTINEZ-ARNAIZ R.M.
%A EIROA C.
%A MONTES D.
%A MONTESINOS B.
%J Astron. Astrophys., 521, A12-12 (2010)
%T A spectroscopy study of nearby late-type stars, possible members of stellar
kinematic groups.
%V (abstract)
%W (g1F) [g0] Table 1 (495 etoilews HD AlineE 25/01/2011 // 12 cit. Etoiles HIP connues. Rentrer les HRV+err. (Reunion 31/01/2012) //
%F <Available at CDS: table1.dat>
%O=445
%D 22.11.10 13.04.12
    
```

	Simbad Data	Data Type	Field/Option
HIP Hipparcos number (Ca ...)	%l.0		
HD ? HD number	%l		
RAh Right Ascension J200 ...	%J		RA
DE Declination J2000 (s ...)	%J		DEC
Plx Trigonometric parall ...	%X		Value
e_plx Standard error in Pl ...	%X		Err
pmRA Proper motion mu_alpha ...	%O.cat	CEL	U1
e_pmRA Standard error in pm ...	%O.cat	CEL	U1 U2
pmDE Proper motion mu_delta ...	%P		U3 U4

**Script**

# Réunion biblio



Calculs des **bons/mauvais** candidats  
-> suggestion de maj / création / conflicting / merge

# Réunion biblio

Bibcode

=g=

=s=



Vizier

tables

ReadMe



prog awk

-> parfile

041



Raccord


(Simbad)

## Sortie RACCORD

```
Choisissez un fichier parfile-complet.out
!PAR #10
!### Identifier not found in the database : NAME B 1
!=== UPDATE From Pos : 00 19 20.0-74 06 26
!+++ Object 1/2: C1* / C1* ( 1) ; 2.0" D ( 1.3) ; FROM COO
!... Object 2/2: C* / C1* (-1) ; 6.2" B ( 0.5) ; FROM COO
!+++ UPDATE From Pos : C1* ( 2.0"- 1.3)
$0 Bruck 1
$!c c 00 19 20 -74 06 26
$!l c 00 19 20-74 06.4 (-) [- ~ ~] D 2008MNRAS.389..678B !!Simbad
kept
$C o C1* 2008MNRAS.389..678B!
$!l o C1* ~ !!Simbad replaced
$A id B1
$A r 2008MNRAS.389..678B, d, B1, +1
$bye!

!*** identifieur incorrect : 'K1' : Sesame rewrote to : NAME K 1
!*** identifieur incorrect : 'L4' : Sesame rewrote to : LDN 4
!*** identifieur incorrect : 'ESO28SC15' : Sesame rewrote to : NAME
ESO 28SC15

!PAR #11
!### Identifier not found in the database : NAME K 1
!### Identifier not found in the database : NAME ESO 28SC15
!=== DISPLAY 00 21 27.0-73 44 55 - K1
%I.0 K1
%I L4
%I ESO28SC15
%B.R K1,L4,ESO28SC15
%J 00 21 27 -73 44 55
%C C1* 2008MNRAS.389..678B
%B 2008MNRAS.389..678B
!--- Object 1/1: DNe / C1* (-1) ; 266278.7" E (-7294.5) ; FROM ID
I 1 /
```



NEW (1)  UPDATE From Name (13)  UPDATE From Pos (75)  DISPLAY (60)